

75320

October-20-11 11:34:37 AM

N900040100

Setup Start *NS1*

Stop *NS2*

2

Cust Item ID:

?

Customer:

Reference:

Run Start *NR1*

Date: 11/10/22

Tooling:

Date:

Stop *NR2*

QC:

Date:

SPC (Y/N):

Date:

**Insp.
Stamp**

Revision Nbr

D3651

Rev B

100

Pick-Kit

0.00

100

Packaging

Memo

0.00

Packaging

110

0.00

110

Small Fab

Small Fab

Memorandum

0.00

Small Fab

1-Assemble as per dwg D36512- Seal all mating surfaces and gaps using
Proseal 700 fire wall sealant as per dwg D3651Batch: 119405 3-install
D3651-1 using 3M high performance contact adhesive 1357 as per dwg
D3651Batch: 17105623

120

QC5- Inspect part completeness to step on W/O

0.00

120

QC

Memo

0.00

Quality Control

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 75320***75320***

Page 2

October-20-11 11:34:37 AM

Item ID: D3651-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Aft Base Assembly
Start Date: 20/10/2011 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 08/11/2011 Req'd Qty: 2.00 ***2*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: <i>CEA</i>	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

12/5/28

MK
12-05-28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

October-20-11 11:34:41 AM

Page 1

Work Order ID: 75320

75320

Parent Item: D3651-041

D3651-041

Parent Item Name: Aft Base Assembly

Start Date: 20/10/2011

Required Date: 08/11/2011

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A New Issue 07-09-27 DD verified by: EC
IPP Rev:B ECN 1113P 08-01-22 DD verified by: EC
IPP Rev:C ecn1162 08-04-02 DD verified by: EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

CR3523-4-02

Purchased

No

100

Each

450.0000

58

116

CR3523-4-02

RIVET

**

② FF 12-05-24

Location

Loc Qty

Loc Code

ST312

121114

147

116

116915

1

117946

46

118686

100

ST313

303

116391

100

116893

3

117978

200

D3651-043

Manufactured

No

110

Each

1.0000

1

2

D3651-043

Flange Weldment

**

② FF 12-05-24

Location

Loc Qty

Loc Code

GA

80612

1

2

65543

1

D3651-1

Manufactured

No

110

Each

9.0000

1

2

D3651-1

Gasket

**

② FF 12-05-24

Location

Loc Qty

Loc Code

GA

2

61748

2

2

ST188

7

69542

7

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

October-20-11 11:34:41 AM

Page 2

Work Order ID: 75320

75320

Parent Item: D3651-041

D3651-041

Parent Item Name: Aft Base Assembly

Start Date: 20/10/2011

Required Date: 08/11/2011

Start Qty: 2.00

Required Qty: 2.00

D3651-11

Manufactured No

110 Each

7.0000

1 2

D3651-11

Gasket

**

(2) FF 12-05-24

Location

Loc Qty

Loc Code

ST188

7

2

69546

7

D3651-13

Manufactured No

110 Each

8.0000

1 2

D3651-13

Outside Doubler

**

(2) FF 12-05-24

Location

Loc Qty

Loc Code

GA

8

2

67551

2

69547

6

D3651-9

Manufactured No

110 Each

6.0000

1 2

D3651-9

Inside Doubler

**

(2) FF 12-05-24

Location

Loc Qty

Loc Code

GA

6

2

69545

6

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 75320

M.L.J
11/10/20



PART LIST

QTY -041	PART NUMBER	DESCRIPTION
X	D3651-041	AFT BASE ASSEMBLY
1	D3651-043	FLANGE WELDMENT
1	D3651-1	GASKET
1	D3651-9	INSIDE DOUBLER
1	D3651-11	GASKET
1	D3651-13	OUTSIDE DOUBLER
58	CR3523-4-02 or NAS9307M-4-02	RIVET

D3651-041 AFT BASE ASSEMBLY

D3651-041 NOTES:

- 1) SEAL ALL MATING SURFACES AND GAPS USING PROSEAL 700 FIRE WALL SEALANT
- 2) INSTALL D3651-1 USING 3M HIGH PERFORMANCE CONTACT ADHESIVE 1357
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.6 lbs

B	SHEET 1: GENERAL UPDATE SHEET 2: 8.74 WAS 8.50; 0.88 WAS 0.98; REMOVED ANGLE SHEETS 4, 5, 6, 8 & 9: GENERAL DIMENSIONAL UPDATE SHEET 7: 5.514 WAS 5.504	RF	08.01.07
A	NEW ISSUE	RF	07.11.07
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	LE	DRAWING NO.	REV. B
MFG. APPR.	DA	D3651	SHEET 1 OF 9
APPROVED	DA	TITLE	SCALE
DE APPR.	DA	AFT BASE ASSEMBLY	1:4
DATE	08.01.07	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75320



D3651-043 FLANGE WELDMENT


D3651-043 NOTES:

- 1) WELD PER QSI 004
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.76 lbs

TRANSFER DRILL Ø0.129 (#30 DRILL)
FROM D3651-5/-7 TO D3651-3
INSTALL CR3523-4-02 OR NAS9307M-4-02
RIVETS (57)

MS21060-3K NUTPLATE (1)
MS20427M3-3 RIVET (2)
(8 PLACES)

G-TAW
GRIND FLAT TO
CLEAR FASTENERS
(2 PLACES)



QTY	PART NUMBER	DESCRIPTION
-043		
X	D3651-043	FLANGE WELDMENT
1	D3651-3	BASE
1	D3651-5	TOP FLANGE
1	D3651-7	BOTTOM FLANGE
16	MS20427M3-3	RIVET
8	MS21060-3K	NUTPLATE
57	CR3523-4-02 or NAS9307M-4-02	RIVET

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	LE	DRAWING NO.	REV. B
MFG. APPR.	ASD	D3651	SHEET 2 OF 9
APPROVED		TITLE	SCALE
DE APPR.		AFT BASE ASSEMBLY	1:3
DATE	08.01.07	COPYRIGHT © 2007 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75320



D3651-1 GASKET

NOTES:

- 1) MATERIAL: THERMO-CHEM P/N G-89, (REF. 0.060 THICK)
POSSIBLE SUPPLIER: A.R. THOMSON GROUP
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) PART IS SYMMETRIC ABOUT ϕ
- 8) WEIGHT: 0.09 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3651	SHEET 3 OF 9
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	AFT BASE ASSEMBLY	1:2
DATE	08.01.07	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



75320



D3651-3 BASE
(MAKE FROM D3651-3F FLAT PATTERN)

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.27 lbs
- 8) BEND TO 55° WHERE INDICATED



DETAIL A

D3651-3F FLAT PATTERN

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	KE	DRAWING NO. D3651	REV. B
MFG. APPR.	KE	SHEET 4 OF 9	
APPROVED	KE	TITLE	SCALE
DE APPR.	KE	AFT BASE ASSEMBLY	
DATE	08.01.07	1:2	

COPYRIGHT © 2007 BY DART AEROSPACE LTD.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75320



D3651-5F FLAT PATTERN



D3651-5 TOP FLANGE BEND DETAIL
(MAKE FROM D3651-5F FLAT PATTERN)

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.02 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	LE	DRAWING NO.	REV. B
MFG. APPR.	MP	D3651	SHEET 5 OF 9
APPROVED	MP	TITLE	SCALE
DE APPR.	MP	AFT BASE ASSEMBLY	1:3
DATE	08.01.07	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75320



D3651-7F FLAT PATTERN

D3651-7 BOTTOM FLANGE BEND DETAIL
(MAKE FROM D3651-7F FLAT PATTERN)

- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.02 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3651	REV. B
MFG. APPR.		SHEET 6 OF 9	
APPROVED		TITLE	SCALE
DE APPR.		AFT BASE ASSEMBLY	1:3
DATE	08.01.07	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75320

**D3651-9 INSIDE DOUBLER****NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.07 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	UE	DRAWING NO. D3651	REV. B
MFG. APPR.	MFG	SHEET 7 OF 9	
APPROVED	UE	TITLE	SCALE
DE APPR.	UE	AFT BASE ASSEMBLY	1:2
DATE	08.01.07	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75320



NOTES:

- 1) MATERIAL: THERMO-CHEM P/N G-89, (REF. 0.060 THICK)
POSSIBLE SUPPLIER: A.R. THOMSON GROUP
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.2 lb

D3651-11 GASKET

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	LE	DRAWING NO.	REV. B
MFG. APPR.	RF	D3651	SHEET 8 OF 9
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	AFT BASE ASSEMBLY	1:2
DATE	08.01.07	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75320



D3651-13 OUTSIDE DOUBLER B

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.10 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D3651	SHEET 9 OF 9
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	AFT BASE ASSEMBLY	1:2
DATE	08.01.07	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries